

3D-Beauty International, Inc.
15441 Red Hill Avenue, Suite F
Tustin, CA USA 92780-7304
Tel: 714-566-0205

**** MATERIAL SAFETY DATA SHEET Finished Product****
3D-Lashes®
MD-USA Adhesive Remover

SECTION 1 – SUBSTANCE & PRODUCT IDENTIFICATION

PRODUCT NAME: 3D-Lashes® MD-USA Adhesive Remover

CODE: Cyanoacrylate Remover

EFFECTIVE DATE: July-2007, Revision 1

DESCRIPTION

A Cyanoacrylate adhesive remover which quickly softens and dissolves adhesive from unwanted areas.

SECTION II – COMPOSITION AND INGREDIENTS

Composition

Proprietary; Water (Aqua)/Surfactant/Glycol/Polyether Blend

CAS Number

Proprietary

ACGIH (TLV)

Not Established

OSHA (PEL)

Not Established

Threshold Limit Value (TLV)

Not Established

***Note:** The precise composition of this product is propriety information. A more detailed disclosure will be provided by 3D-Beauty International, Inc. to qualified Medical personal as privileged information and non-disclosure upon request in case of need for specific treatment.*

SECTION III – HAZARDS IDENTIFICATION

EFFECTS OF OVEREXPOSURE:

Eyes: Can cause moderate irritation, redness, tearing.

Skin: Can cause slight irritation.

Inhalation: Although no appropriate human or animal health effects data are known to exist, this material is not expected to an inhalation hazard.

Ingestion: No significant signs or symptoms of any health hazard are expected to occur as a result of ingestion.

SECTION IV – FIRST AID MEASURES

EYE CONTACT

Flush eyes with large amounts of water, lifting upper and lower lids occasionally. Seek immediate medical attention.

SKIN PROBLEM

Thoroughly wash exposed areas in warm, soapy water. Remove contaminated clothing. Launder contaminated clothing before use. Avoid contact with clothes, fabric, rags or tissue. Wear rubber or polyethylene gloves and an apron when handling large amounts of the Remover.

INHALATION

If respiratory irritation occurs, remove individual to fresh air. Get medical attention if breathing is difficult or lung irritation is present. If breathing has stopped, administer artificial respiration. Keep person warm, quite and seek immediate medical attention.

INGESTION

If a large quantity is swallowed, give lukewarm water if victim is completely alert. Do not give anything by mouth to an unconscious person. **Do not induce vomiting.** Get immediate medical attention.

3D-Beauty International, Inc.
15441 Red Hill Avenue, Suite F
Tustin, CA USA 92780-7304
Tel: 714-566-0205

**** MATERIAL SAFETY DATA SHEET Finished Product ****

Note: After first aid treatment, the caller should be advised that 1) a hospital emergency room or family physician should be consulted if anything unusual occurs or appears necessary in the judgment of the caller, and 2) that the subsequent management of the accident should be dictated by any persistent symptoms and under the direction of the physician.

SECTION V – FIRE FIGHTING MEASURES

FLAMMABILITY DATA

Flash Point & Method: >250°F, (PMCC)

Flammable Limits (percentage by volume): LEL: Not Established UEL: Not Established

Extinguishing Media

Use extinguishing agents that are suitable to the surrounding fire. Alcohol Foam, Water Fog, Dry Chemical or Carbon Dioxide is recommended.

Special Fire-Fighting Procedures

Wear self-contained breathing apparatus with a full-face piece operated in pressure-demand or other positive pressure mode when fighting fires.

Unusual Fire or Explosion Hazards

Vapors are heavier than air and may travel along the ground or be moved by ventilation and ignited by heat, pilot lights, other flames and ignition sources at locations distant from material handling point.

Hazardous Products of Combustion

May form toxic materials: Carbon dioxide and carbon monoxide, various hydrocarbons, etc.

SECTION VI - ACCIDENTAL RELEASE MEASURES

Procedures for Spill/Leak Clean-Up

Small Spill: Absorb liquid on paper, vermiculite, floor absorbent or other absorbent material and transfer to container.

Large Spill: Eliminate all ignition sources (flares, flames; including pilot lights, electrical sparks). Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed. Stop spill at source, dike area of spill to prevent spreading, and pump liquid to a salvage tank. Remaining liquid may be taken up by sand, clay, earth, floor absorbent, or other absorbent material and shoveled into containers.

SECTION VII - HANDLING AND STORAGE

Precautions for Safe Handling

Keep container tightly closed away from heat and direct sunlight. Avoid contact with skin, eyes, and clothing. Avoid breathing vapors. Do not use around heat, sparks or open flame.

Conditions for Safe Storage

Store away from flame and sparks. After use, product should be stored unopened (tightly closed) in a cool, dry place away from heat and direct sunlight in a location with even, normal temperatures to maximize shelf life.

Other Recommendations

Containers of this material may be hazardous when emptied. Since emptied containers retain product residues (vapors, liquids, and/or solids), all hazard precautions given in the data sheet must be observed.

3D-Beauty International, Inc.
15441 Red Hill Avenue, Suite F
Tustin, CA USA 92780-7304
Tel: 714-566-0205

**** MATERIAL SAFETY DATA SHEET Finished Product****

SECTION VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

Ventilation: Local exhaust ventilation is recommended to maintain vapor level below TLV.

Respiratory Protection: Not applicable with good local exhaust. Use NIOSH/OSHA jointly approved respirator if there is a potential to exceed exposure limits. OSHA regulations also permit other NIOSH/OSHA respirators under specified conditions.

Protective Gloves: Wear resistant gloves such as neoprene.

Eye Protection: Chemical splash goggles in compliance with OSHA regulations are advised; however, OSHA regulations also permit other types of safety glasses.

Other Protective Equipment: Normal work clothing covering arms and legs.

To safe guard the shelf life and purity of the product: 1) Always handle and apply in a careful and sanitary manner; 2) Do not share with others; 3) Do not add anything to the product; 4) Cap tightly after use to help prevent moisture entering product and maximize product shelf life; 6) If changes in product occurs; such as appearance and product strength, discontinue use.

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL APPEARANCE:	Clear Liquid
ODOR:	Characteristic
BOILING POINT:	>212°F @ 760 mm Hg
VAPOR PRESSURE:	<.05 mm Hg @68°F
VAPOR DENSITY:	N/A
EVAPORATION RATE:	Slower vs. n-butyl acetate
SPECIFIC GRAVITY:	>1.0 @68°F
SOLUBILITY IN WATER:	Soluble
% NON-VOLATILE (by volume):	< 1%

SECTION X - STABILITY AND REACTIVITY

STABILITY: This product is stable under recommended storage conditions.

CONDITIONS TO AVOID: None

HAZARDOUS POLYMERIZATION: Will not occur

INCOMPATIBILITY: Avoid contact with strong oxidizing agents.

SECTION XI - TOXICOLOGICAL INFORMATION

See Section III.

SECTION XII- ECOLOGICAL INFORMATION

No Data

SECTION XIII - DISPOSAL CONSIDERATIONS

Small Spill: Dispose of product in accordance with local and EPA regulations.

Large Spill: Destroy by Liquid Incineration.

3D-Beauty International, Inc.
15441 Red Hill Avenue, Suite F
Tustin, CA USA 92780-7304
Tel: 714-566-0205

**** MATERIAL SAFETY DATA SHEET Finished Product****

SECTION XIV - TRANSPORT INFORMATION

Transportation / Shipping Information:

This product is not regulated or defined as a Hazardous Material by the DOT, IATA, or the IMO. No special paperwork to ship this product worldwide.

SECTION XV - REGULATORY INFORMATION

California Proposition 65: NONE

SECTION XVI- OTHER INFORMATION

Hazard	HMIS Hazard Code®	
Health	1	
Flammability	1	
Reactivity	0	
Specific Hazard	N/A	Personal Protection: See Section VIII

**3D-Beauty International, Inc.
15441 Red Hill Avenue, Suite F
Tustin, CA USA 92780-7304
Tel: 714-566-0205**

**** MATERIAL SAFETY DATA SHEET Finished Product****

For more information contact Product Safety at

3D-Beauty International, Inc.

15441 Red Hill Avenue, Suite F

Tustin, CA 92780-7304

Tel: 714-566-0205 Fax: 714-566-0206 www.3D-Beauty.com

DISCLAIMER:

The information and recommendations contained herein is based on data considered accurate and has been compiled from sources believed to be reliable and represent the most reasonable opinion on the subject when the MSDS was prepared. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. It is not meant to be an all-inclusive document on worldwide hazard communication regulations. This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent exposures, property damage or release to the environment. It is the user's responsibility to determine suitability for the product or of any production methods mentioned herein and adopt such precautions as may be advisable for the protection of property and of persons against any hazards that may be involved in the use thereof. **3D-Beauty International, Inc.** cannot assume responsibility for the results obtained by others over whose method **3D-Beauty International** does not control and assumes no responsibility for the personal injury or property damage caused by the material. **In light of the forgoing, 3D-Beauty International specially disclaims all warranties of merchantability or fitness for a particular purpose arising from sale or use of 3D-Beauty International's products. 3D-Beauty International specially disclaims any liability for consequential or incidental damages of any kind, including loss of profits.** Users assume all risks associated with the use of the material. The discussion herein of various processes or composition is not to be interpreted as representation that they are free from domination of patents owned by others or as a license under any **3D-Beauty International** patents which may cover such processes or compositions. **3D-Beauty International** recommends that each prospective user test the proposed application to determine its suitability for the purpose intended prior to the incorporation of any product or application using this data as a guide.